

序号	报告编号	发布日期	结论	影像资料
63	GX-B1495/20-5-221673	2022年9月26日	合格	
64	GX-B1312/20-5-22490~22493	2022年9月26日	合格	
65	GX-B1321/20-5-22554~22557	2022年9月26日	合格	
66	GX-B1301/21-5-22008	2022/9/24	综合判定:合格。	
67	GX-B1301/21-5-22009	2022/9/24	综合判定:合格。	

68	GX-B1321/20-5-22592~22594	2022. 9. 27	合格	
69	GX-B1495/20-5-221703~221705	2022. 9. 27	合格	
70	GX-B1312/20-5-22501~22503	2022. 9. 27	合格	
71	GX-B1495/20-5-221700~221702	2022. 9. 27	所检项目合格	

72	GX-B1323/21-5-22158	2022. 9. 27	所检项目合格	
73	GX-B1321/20-5-22595~22596	2022. 9. 27	所检项目合格	
74	GX-1312/20-5-22504	2022. 9. 27	所检项目合格	

75	GX-B1495/20-5-221741~221744	2022. 9. 28	合格	
76	GX-B1304/21-5-22009	2022/9/27	综合判定：合格	
77	GX-B1304/21-5-22010	2022/9/27	综合判定：合格	

78	GX-B1310/21-5-22240	2022/9/19	符合标准要求。	
79	GX-B1310/21-5-22241	2022/9/19	符合标准要求	

80	GX-B1310/21-5-22242	2022/9/19	符合标准要求。	
81	GX-B1428/21-5-22036	2022/9/19	无缺陷迹痕显示。	

82	GX-B1428/21-5-22037	2022/9/19	无缺陷迹痕显示。	
83	GX-B1328/20-5-22119	2022/9/29	合格	

84	GX-B1328/20-5-22120	2022/9/29	合格	
85	GX-B1328/20-5-22121	2022/9/29	合格	

86	GX-B1328/20-5-22122	2022/9/29	合格	
87	GX-B1328/20-5-22123	2022/9/29	合格	
88	GX-B1323/21-5-22160~22162	2022/9/30	所检项目合格	

89	GX-B1323/21-5-22163~22165	2022/9/30	所检项目合格	
90	GX-B1323/21-5-22166~22168	2022/9/30	所检项目合格	
91	GX-B1495/20-5-221757~221765	2022/9/30	所检项目合格	
92	GX-B1424/20-5-22019	2022/9/30	所检项目合格	 2022/06/12
93	GX-B1328/20-5-22133	2022-9-30	本次共检绝缘手套22只，22只绝缘手套合格。	 2022/9/27

94	GX-B1328/20-5-22134	2022-9-30	本次共检绝缘靴22只， 22只绝缘靴合格。	
95	GX-B1308/21-5-22029	2022. 9. 30	合格	
96	GX-B1308/21-5-22030	2022. 9. 30	合格	

97	GX-B1495/20-5-221751~221756	2022/9/30	合格	
98	GX-B1495/20-5-221747~221750	2022/9/30	合格	   