

序号	报告编号	发布日期	结论	影像资料
257	GX-B1509/20-A-24010	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
258	GX-B1509/20-A-24009	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
259	GX-B1509/20-A-24008	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
260	GX-B1509/20-A-24007	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
261	GX-B1509/20-A-24006	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
262	GX-B1509/20-A-24005	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
263	GX-B1364/22-A-24479	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
264	GX-B1364/22-A-24478	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
265	GX-B1364/22-A-24477	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
266	GX-B1364/22-A-24476	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
267	GX-B1364/22-A-24475	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
268	GX-B1364/22-A-24473	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
269	GX-B1364/22-A-24442	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
270	GX-B1369/20-A-24003	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
271	GX-B1364/22-A-24480	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
272	GX-B1364/22-A-24494	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
273	GX-B1364/22-A-24495	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
274	GX-B1364/22-A-24496	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
275	GX-B1364/22-A-24472	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
276	GX-B1363/22-A-24201	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
277	GX-B1363/22-A-24197	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
278	GX-B1363/22-A-24199	2024/4/24	所检项目合格。	 A photograph showing two individuals in white lab coats examining a piece of equipment in a laboratory setting. The image is positioned in the center of the '影像资料' (Image Material) cell. The individuals are looking at a piece of equipment, possibly a scale or a similar instrument. The background shows a laboratory environment with a window and some equipment.

序号	报告编号	发布日期	结论	影像资料
279	GX-B1363/22-A-24203	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
280	GX-B1363/22-A-24204	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
281	GX-B1363/22-A-24200	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
282	GX-B1363/22-A-24195	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
283	GX-B1364/22-A-24487	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
284	GX-B1364/22-A-24481	2024/4/25	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
285	GX-B1365/20-A-24020	2024/4/25	所检项目全部合格。	

序号	报告编号	发布日期	结论	影像资料
286	GX-B1365/20-A-24028	2024/4/25	所检项目全部合格。	

序号	报告编号	发布日期	结论	影像资料
287	GX-B1366/20-A-24030	2024/4/25	所检项目全部合格。	

序号	报告编号	发布日期	结论	影像资料
288	GX-B1364/22-A-24488	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
289	GX-B1364/22-A-24489	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
290	GX-B1364/22-A-24490	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
291	GX-B1364/22-A-24491	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
292	GX-B1364/22-A-24492	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
293	GX-B1364/22-A-24493	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
294	GX-B1363/22-A-24180	2024/4/24	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
295	GX-B1364/22-A-24522	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
296	GX-B1364/22-A-24521	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
297	GX-B1364/22-A-24518	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
298	GX-B1364/22-A-24519	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
299	GX-B1364/22-A-24520	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
300	GX-B1363/22-A-24216	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
301	GX-B1363/22-A-24212	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
302	GX-B1363/22-A-24205	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
303	GX-B1363/22-A-24202	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
304	GX-B1367/22-A-24025	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
305	GX-B1367/22-A-24026	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
306	GX-B1367/22-A-24024	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
307	GX-B1367/22-A-24023	2024/4/26	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
308	GX-B1538/22-A-24055	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
309	GX-B1538/22-A-24056	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
310	GX-B1364/22-A-24515	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
311	GX-B1364/22-A-24516	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
312	GX-B1364/22-A-24517	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
313	GX-B1364/22-A-24511	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
314	GX-B1364/22-A-24510	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
315	GX-B1364/22-A-24509	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
316	GX-B1364/22-A-24499	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
317	GX-B1364/22-A-24498	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
318	GX-B1364/22-A-24497	2024/4/29	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
319	GX-B1364/22-A-24526	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
320	GX-B1364/22-A-24524	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
321	GX-B1364/22-A-24523	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
322	GX-B1364/22-A-24514	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
323	GX-B1364/22-A-24513	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
324	GX-B1364/22-A-24512	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
325	GX-B1363/22-A-24219	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
326	GX-B1364/22-A-24527	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
327	GX-B1364/22-A-24529	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
328	GX-B1364/22-A-24525	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
329	GX-B1363/22-A-24208	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
330	GX-B1363/22-A-24209	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
331	GX-B1363/22-A-24213	2024/4/30	全厚度拉伸强度为：1044N/mm，全厚度拉断伸长率为：26%；所检项目合格。	 A photograph showing two individuals in a laboratory or industrial setting. They are wearing light-colored lab coats or work shirts. They appear to be operating or observing a piece of equipment, likely a testing machine, which has a blue panel with a yellow warning symbol. The date '2024/04/25' is visible in the bottom right corner of the image.

序号	报告编号	发布日期	结论	影像资料
332	GX-B1363/22-A-24214	2024/4/30	全厚度拉伸强度为：1014N/mm，全厚度拉断伸长率为：26%；所检项目合格。	 A photograph showing two men in a laboratory or industrial setting. They are standing in front of a large piece of equipment, likely a testing machine, which has a blue panel with a yellow warning symbol. The man on the left is wearing a light-colored shirt and glasses, and the man on the right is wearing a white shirt. The date '2024/4/26' is visible in the bottom right corner of the image.

序号	报告编号	发布日期	结论	影像资料
333	GX-B1364/22-A-24528	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
334	GX-B1538/22-A-24046	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
335	GX-B1538/22-A-24047	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
336	GX-B1538/22-A-24048	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
337	GX-B1538/22-A-24049	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
338	GX-B1538/22-A-24050	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
339	GX-B1538/22-A-24051	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
340	GX-B1538/22-A-24052	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
341	GX-B1538/22-A-24053	2024/4/30	所检项目合格。	

序号	报告编号	发布日期	结论	影像资料
342	GX-B1538/22-A-24054	2024/4/30	所检项目合格。	