

序号	报告编号	发布日期	结论	影像资料
83	GX-B1309/21-1-24023	2024. 7. 19	所检项目合格	
84	GX-B1500/21-1-24098	2024. 7. 19	综合判定：合格	

85	GX-B1500/21-1-24099	2024. 7. 19	综合判定：合格	
86	GX-B1500/21-1-24100	2024. 7. 19	综合判定：合格	

87	GX-B1309/21-1-24024	2024. 7. 19	所检项目合格	
88	GX-B1500/21-1-24101	2024. 7. 19	综合判定：合格	

89	GX-B1500/21-1-24102	2024. 7. 19	综合判定：合格	
90	GX-B1500/21-1-24103	2024. 7. 19	综合判定：合格	

91	GX-B1309/21-1-24025	2024. 7. 19	所检项目合格	
92	GX-B1500/21-1-24104	2024. 7. 19	综合判定：合格	

93	GX-B1500/21-1-24105	2024. 7. 19	综合判定：合格	
94	GX-B1500/21-1-24106	2024. 7. 19	综合判定：合格	

95	GX-B1500/21-1-24107	2024. 7. 19	综合判定：合格	
96	GX-B1534/20-1-24055	2024. 7. 19	所检项目合格	

97	GX-B1534/20-1-24030	2024. 7. 19	所检项目合格	
98	GX-B1303/21-1-24005	2024. 7. 19	综合判定：合格	

99	GX-B1303/21-1-24006	2024. 7. 19	综合判定：合格	
100	GX-B1303/21-1-24007	2024. 7. 19	综合判定：合格	

101	GX-B1304/21-1-24005	2024. 7. 22	综合判定：合格	
102	GX-B1310/21-1-24121	2024. 7. 19	符合标准要求	

103	GX-B1427/21-1-24121	2024. 7. 19	符合标准要求	 <p>2024/6/25</p>
104	GX-B1310/21-1-24122	2024. 7. 19	符合标准要求	 <p>2024/6/25</p>

105	GX-B1427/21-1-24122	2024. 7. 19	符合标准要求	
106	GX-B1598/24-1-24039	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为1.25%，小于5%为正常	

107	GX-B1598/24-1-24040	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为1.30%，小于5%为正常	 A worker wearing a red hard hat, safety glasses, and a blue and orange safety harness stands in an industrial environment with large vertical pipes. A date stamp '2024/06/27' is visible in the bottom right corner of the photo.
108	GX-B1598/24-1-24026	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为3.05%，小于5%为正常	 A worker in a red hard hat and safety harness is working in an industrial setting, possibly inspecting or working on a structure. A date stamp '2024/06/19' is visible in the bottom right corner of the photo.

109	GX-B1598/24-1-24027	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为3.11%，小于5%为正常			
110	GX-B1598/24-1-24028	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为3.20%，小于5%为正常			

111	GX-B1598/24-1-24029	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.55%，小于5%为正常	
112	GX-B1598/24-1-24030	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.67%，小于5%为正常	

113	GX-B1598/24-1-24031	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.74%，小于5%为正常	
114	GX-B1598/24-1-24032	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.86%，小于5%为正常	

115	GX-B1598/24-1-24033	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.06%，小于5%为正常	 <p>2024/06/20</p>
116	GX-B1598/24-1-24034	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.14%，小于5%为正常	 <p>2024/06/20</p>

117	GX-B1598/24-1-24035	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为1.64%，小于5%为正常	 2024/06/20
118	GX-B1598/24-1-24036	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为1.77%，小于5%为正常	 2024/06/20

119	GX-B1598/24-1-24037	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.30%，小于5%为正常	
120	GX-B1598/24-1-24038	2024. 7. 22	实测钢丝绳有效截面积损失百分比最大为2.48%，小于5%为正常	

121	GX-B1310/21-1-24144	2024. 7. 22	符合标准要求	
122	GX-B1428/21-1-24144	2024. 7. 22	无缺陷迹痕显示	

123	GX-B1310/21-1-24143	2024. 7. 22	符合标准要求	
124	GX-B1303/21-1-24008	2024. 7. 22	综合判定：合格	

125	GX-B1303/21-1-24009	2024. 7. 22	综合判定：合格		
126	GX-B1309/21-1-24028	2024. 7. 22	所检项目合格		

127	GX-B1500/21-1-24115	2024. 7. 22	综合判定：合格		
128	GX-B1500/21-1-24116	2024. 7. 22	综合判定：合格		

129	GX-B1500/21-1-24117	2024. 7. 22	综合判定：合格	
130	GX-B1310/21-1-24133	2024. 7. 23	符合标准要求	

131	GX-B1310/21-1-24124	2024. 7. 23	符合标准要求		
132	GX-B1427/21-1-24109	2024. 7. 23	符合标准要求		

133	GX-B1310/21-1-24109	2024. 7. 23	符合标准要求	 A photograph showing a worker in a high-visibility orange safety vest and a red hard hat. The worker is positioned in a dark environment, possibly at night, and is focused on a task involving a piece of machinery or equipment. The scene is illuminated by a bright light source, likely a work lamp. A yellow timestamp '2024/6/20' is visible in the bottom right corner of the image.
134	GX-B1310/21-1-24134	2024. 7. 23	符合标准要求	 A photograph of a worker operating a large industrial machine. The machine features a prominent green cabinet and a large red cylindrical component. The worker is seen from the side, focused on the task. The background shows an industrial setting with various pipes and structures. A yellow timestamp '2024/6/24' is visible in the bottom right corner of the image.

135	GX-B1310/21-1-24125	2024. 7. 23	符合标准要求	
136	GX-B1427/21-1-24110	2024. 7. 23	符合标准要求	

137	GX-B1310/21-1-24110	2024. 7. 23	符合标准要求	
138	GX-B1310/21-1-24135	2024. 7. 23	符合标准要求	

139	GX-B1427/21-1-24111	2024. 7. 23	符合标准要求	 <p>2024/6/22</p>
140	GX-B1310/21-1-24111	2024. 7. 23	符合标准要求	 <p>2024/6/22</p>

141	GX-B1310/21-1-24136	2024. 7. 23	符合标准要求	
142	GX-B1310/21-1-24126	2024. 7. 23	符合标准要求	

143	GX-B1310/21-1-24112	2024. 7. 23	符合标准要求	
144	GX-B1310/21-1-24137	2024. 7. 23	符合标准要求	

145	GX-B1310/21-1-24127	2024. 7. 23	符合标准要求	
146	GX-B1310/21-1-24113	2024. 7. 23	符合标准要求	

147	GX-B1310/21-1-24138	2024. 7. 23	符合标准要求	
148	GX-B1310/21-1-24128	2024. 7. 23	符合标准要求	

149	GX-B1310/21-1-24114	2024. 7. 23	符合标准要求	
150	GX-B1310/21-1-24139	2024. 7. 23	符合标准要求	

151	GX-B1310/21-1-24129	2024. 7. 23	符合标准要求	
152	GX-B1310/21-1-24115	2024. 7. 23	符合标准要求	

153	GX-B1310/21-1-24140	2024. 7. 23	符合标准要求	
154	GX-B1310/21-1-24130	2024. 7. 23	符合标准要求	

155	GX-B1310/21-1-24116	2024. 7. 23	符合标准要求	
156	GX-B1310/21-1-24141	2024. 7. 23	符合标准要求	

157	GX-B1310/21-1-24131	2024. 7. 23	符合标准要求	
158	GX-B1310/21-1-24117	2024. 7. 23	符合标准要求	

159	GX-B1310/21-1-24142	2024. 7. 23	符合标准要求	
160	GX-B1310/21-1-24132	2024. 7. 23	符合标准要求	

161	GX-B1310/21-1-24118	2024. 7. 23	符合标准要求	
162	GX-B1322/21-1-24184~24190	2024. 7. 23	本次共检验电力电缆7条，7条所检项目合格	

163	GX-B1322/21-1-24191~24197	2024. 7. 23	本次共检验电力电缆7条，7条所检项目合格	
164	GX-B1322/21-1-24198~24202	2024. 7. 23	本次共检验电力电缆5条，5条所检项目合格	

165	GX-B1322/21-1-24203~24215	2024. 7. 24	本次共检验电力电缆13条，13条所检项目合格。	
166	GX-B1303/21-1-24006	2024. 7. 25	综合判定：合格	

167	GX-B1309/21-1-24026	2024. 7. 24	所检项目合格	
168	GX-B1500/21-1-24108	2024. 7. 24	综合判定：合格	

169	GX-B1500/21-1-24109	2024. 7. 24	综合判定：合格		
170	GX-B1500/21-1-24110	2024. 7. 24	综合判定：合格		

171	GX-B1522/20-1-24005	2024/7/25	所检项目合格。	
172	GX-B1522/20-1-24006	2024/7/25	所检项目合格。	

173	GX-B1451/20-1-24329~24352	2024. 7. 25	本次共检高压开关设备24台，24台高压开关设备所检项目合格。	
174	GX-B1451/20-1-24353~24386	2024. 7. 25	本次共检高压开关设备34台，34台高压开关设备所检项目合格。	

175	GX-B1451/20-1-24387~24405	2024. 7. 25	本次共检高压开关设备19台，19台高压开关设备所检项目合格。	
176	GX-B1451/20-1-24406~24434	2024. 7. 25	本次共检高压开关设备29台，29台高压开关设备所检项目合格。	

177	GX-B1451/20-1-24435~24460	2024. 7. 25	本次共检高压开关设备26台，26台高压开关设备所检项目合格。	
178	GX-B1451/20-1-24461~24482	2024. 7. 25	本次共检高压开关设备22台，22台高压开关设备所检项目合格。	

179	GX-B1451/20-1-24483~24500	2024. 7. 25	本次共检高压开关设备18台，18台高压开关设备所检项目合格。	
-----	---------------------------	-------------	--------------------------------	---